

ADVANCED DOORS LTD



'EXCALIBUR'
EXPANDING SECURITY GRILLE

**INDUSTRIAL DOOR OWNERS LOGBOOK
OPERATING & MAINTENANCE INSTRUCTIONS
SAFETY INSTRUCTIONS**

CONTENTS

'EXCALIBUR' EXPANDING SECURITY GRILLE

1.1 Operating Instructions	3
1.2 Maintenance	3
1.3 Safety Instructions	4
1.4 Cleaning Methods	4

'EXCALIBUR' EXPANDING SECURITY GRILLE

1.1 OPERATING INSTRUCTIONS

"EXCALIBUR" EXPANDING SECURITY GRILLE

To Open

Insert key into the lock and turn, once unlocked push the grille to one side if a single stack and both sides if it's a double stack.

Hinge up bottom tracks if applicable:

Once the grille is open swing the tracks upwards towards the stack and secure with the special catch.

Removable bottom tracks if applicable:

Once the grille is open remove the track and store in a safe place.

To Close

Hinged bottom tracks if applicable:

Release the catch holding the track and lower the track into the locating sleeve on the floor.

Removable tracks if applicable:

Take the removed piece of the track from its storage placed and place it into the locating sleeves on the floor.

Single stack grilles:

Pull on the moving jamb and push it towards the strike jamb until fully closed, insert the key and turn to lock. Remove the key.

Double stack grilles:

Pull on the moving jambs at each side until they meet in the middle and the centre stops; insert the key and turn to lock. Remove the key.

1.2 MAINTENANCE

The user's responsibility is to ensure the operation of the door is working freely and there is no visible damage to the door.

A service at least once per annum, which would include:

- Secure any loose fastenings
- Fully inspect all mechanical points
- Adjust lock if required
- Apply lubricants to all relevant parts

1.3 SAFETY INSTRUCTIONS

- Do not insert fingers into trellising whilst operating.
- Keep all tracks free from foreign bodies.
- Do not try to operate a damaged door.
- Do not lean obstacles against the grille.

1.4 CLEANING METHODS

- The grille will require an occasional wipe with a mild detergent solution.
- The tracks will also require an occasional use of a vacuum cleaner to remove any foreign bodies.

